

BORING LOG

BORING NO.: C-7
PROJECT: LakeView Street Reconstructions
PROJECT LOCATION: Lakeview LA
BORING LOCATION: N552947.19 E3670715.6
DATE DRILLED: 02/08/2013
WATER LEVEL: Not Encountered
GEOL/ENGR: SE/SA

PROJECT NO.: APS-1211-G043
METHOD: AUGER/WET ROTARY
BORING ELEVATION: Not Surveyed
DATE COMPLETED: 02/08/2013
WATER LEVEL DATE: 02/08/2013
DRILLER: VG

DEPTH (FEET)	SAMPLE	Standard Penetration (Blows/Ft.) or Penetrometer (TSF)	Qu (TSF)	Moisture Content (%)	Dry Unit Weight (PCF)	LL	PI	Symbol	MATERIAL CLASSIFICATION
	X							▣	6.5 Inches od Concrete
	X							▣	Loose Brown Poorly Graded Sand (SP) - Fill Material
	4			12				▣	Black Organic Clay (OH)
	4			282		263	158	▣	Black Organic Clay (OH)
5	4		0.21	244	31	108	66	▣	Very Soft Black Fat Clay (CH) with Organics
10									
15									
20									

COMMENTS:

- Rock Core
- Split Spoon
- Shelby Tube

Argonne Boulevard
 APS Design and Testing, LLC