

# BORING LOG

**BORING NO.:** C-9

**PROJECT:** LakeView Street Reconstructions

**PROJECT LOCATION:** Lakeview LA

**BORING LOCATION:** N553717.82 E3670793.48

**DATE DRILLED:** 02/08/2013

**WATER LEVEL:** Not Encountered

**GEOL/ENGR:** SE/SA

**PROJECT NO.:** APS-1211-G043

**METHOD:** AUGER/WET ROTARY

**BORING ELEVATION:** Not Surveyed

**DATE COMPLETED:** 02/08/2013

**WATER LEVEL DATE:** 02/08/2013

**DRILLER:** VG

DEPTH (FEET)	SAMPLE	Standard Penetration (Blows/Ft.) or Penetrometer (TSF)	Qu (TSF)	Moisture Content (%)	Dry Unit Weight (PCF)	LL	PI	Symbol	MATERIAL CLASSIFICATION
	X							[Concrete Symbol]	7.5 Inches of Concrete
	X							[Sand Symbol]	Loose Brown Poorly Graded Sand (SP) - Fill Material
5	4			23				[Clay Symbol]	Black Organic Clay (OH)
				199		247	92		
		0.15		181	29	163	78		-Very Soft
10									
15									
20									

**COMMENTS:**

- Rock Core
- Split Spoon
- Shelby Tube

## Argonne Boulevard

### APS Design and Testing, LLC