

FCBR_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 05/25/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 34.3" W 90° 02' 56.7" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH							
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT						
				STRATUM DESCRIPTION														
				ASPHALT, 5.5-inches														
				CONCRETE, 5.5-inches	0.5													
1				FAT CLAY (CH), firm, tan and gray, with ferrous nodules and few organics	0.9													
2						63		58										
3																		
4																		
5				- very soft to soft below 4.5'														
					5.4													
6																		
7																		
8																		
9																		

NOTES:

- Terms and symbols defined on Plates A-9a and A-9b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: February 8, 2013
 TOTAL DEPTH: 5.42'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0 to 5.4'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-53

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-5