

FCBR\_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 06/13/13

DEPTH, FT	WATER LEVEL	SYMBOL	SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 27.1" W 90° 02' 31.4" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
							UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
					STRATUM DESCRIPTION															
					ASPHALT, 4.5-inches															
					FILL: BASE COURSE, 6.5-inches - Sand, gravel, and crushed stone, tan	0.4														
1					POORLY GRADED SAND (SP), tan, with gravel	0.9														
2							3	8												
3																				
4					- with ferrous nodules below 2.3'															
5						5.2														
6																				
7																				
8																				
9																				

**NOTES:**

- Terms and symbols defined on Plates A-5a and A-5b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: February 9, 2013  
 TOTAL DEPTH: 5.2'  
 CAVED DEPTH: Not Applicable  
 DRY AUGER: 0' to 5.2'  
 WET ROTARY: Not Applicable  
 BACKFILL: Sand/Cold Patch Asphalt  
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

**LOG OF BORING NO. B-17**

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-1