

FCBR\_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 06/13/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 26.9" W 90° 02' 38.2" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH							
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT						
				STRATUM DESCRIPTION														
				<b>ASPHALT</b> , 5.5-inches														
				<b>FILL: BASE COURSE</b> , 7.5-inches - Sand and shells, gray	0.5													
1				<b>FAT CLAY (CH)</b> , soft to firm, gray, with ferrous nodules, shell fragments, and organics  - with shell seams below 2.50'	1.1													
2																		
3																		
4																		
5								29	90	28	62							
5.3																		
5.5								71										
5.5																		
5.5								55										
6																		
7																		
8																		
9																		

**NOTES:**

- Terms and symbols defined on Plates A-5a and A-5b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: January 27, 2013  
 TOTAL DEPTH: 5.3'  
 CAVED DEPTH: Not Applicable  
 DRY AUGER: 0' to 5.3'  
 WET ROTARY: Not Applicable  
 BACKFILL: Sand/Cold Patch Asphalt  
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

**LOG OF BORING NO. B-29A**

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-4