

FCBR\_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/01/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 57' 54.9" W 90° 02' 23.8" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH							
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT						
				STRATUM DESCRIPTION														
				<b>ASPHALT</b> , 6-inches	0.5													
				<b>FILL: SHELL FRAGMENTS</b> , 1-inch	0.8													
				<b>FILL: GRANITE</b> , 3-inches	0.8													
				<b>FILL: BASE COURSE</b> , Hot sand														
				<b>FAT CLAY (CH)</b> , firm, gray, with organics and ferrous nodules	2.3			35	80	25	55							
				- with silt pockets below 4.4'				41	63	22	41							
					75			43										
					5.1													

**NOTES:**

- Terms and symbols defined on Plates A-11a and A-11b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: February 6, 2013  
 TOTAL DEPTH: 5.1'  
 CAVED DEPTH: Not Applicable  
 DRY AUGER: 0' to 5.1'  
 WET ROTARY: Not Applicable  
 BACKFILL: Sand/Cold Patch Asphalt  
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

**LOG OF BORING NO. B-12A**

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-6