

FCBR_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/01/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 57' 46.4" W 90° 01' 59.6" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH							
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT						
				STRATUM DESCRIPTION														
0.2				ASPHALT , 2-inches FILL: BASE COURSE , 12-inches - Sand and gravel, gray														
1.2				FILL : Clay, stiff to very stiff, brown, with organics and brick fragments														
2.6				LEAN CLAY (CL) , soft to firm, tan, with ferrous nodules, and organics	98		26											
3.0							30	41	19	22								
4.0							31											
5.4							30	30	21	9								

NOTES:

- Terms and symbols defined on Plates A-11a and A-11b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: February 9, 2013
 TOTAL DEPTH: 5.4'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.4'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-18

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-7