

FCBR_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/01/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 57' 49.2" W 90° 01' 58.8" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
				STRATUM DESCRIPTION															
				ASPHALT , 4.5-inches															
				FILL: BASE COURSE , 3.5-inches - Sand and gravel, gray	0.4														
				FAT CLAY (CH) , firm to stiff, dark gray, with shell fragments, organics, gravel, and ferrous nodules - tan and gray at 1.4'	0.7														
1																			
2				- tan below 2.1'			28	57	21	36									
3																			
4																			
5						85	34												
4.9					4.9														

NOTES:

- Terms and symbols defined on Plates A-11a and A-11b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: February 9, 2013
 TOTAL DEPTH: 4.9'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 4.9'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-18A

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-8