

FCBR_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/01/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 57' 47.6" W 90° 02' 06" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
				STRATUM DESCRIPTION															
				ASPHALT , 6.5-inches	0.5														
1				FILL: BASE COURSE , 8.5-inches - Sand and shells, gray															
2				FILL: POORLY GRADED SAND (SP) , gray, with shell fragments	1.3	0	7												
3																			
4				LEAN CLAY (CL) , soft to firm, gray, with sand pockets and organics	3.4	90	30												
5							29	38	19	19									
5.5					5.5														
6																			
7																			
8																			
9																			

NOTES:

- Terms and symbols defined on Plates A-11a and A-11b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: February 7, 2013
 TOTAL DEPTH: 5.5'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.5'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-23

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-9