

FCBR_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/01/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 57' 50.6" W 90° 02' 05.4" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH							
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT						
				STRATUM DESCRIPTION														
				ASPHALT , 9-inches														
1				FILL: BASE COURSE , 8-inches - Sand and shells, gray	0.8													
2				FILL: POORLY GRADED SAND WITH SILT (SP-SM) , tan	1.4													
3																		
4				- with shells below 4.3'			6	9										
5																		
6					5.7													
7																		
8																		
9																		

NOTES:

- Terms and symbols defined on Plates A-11a and A-11b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: February 7, 2013
 TOTAL DEPTH: 5.7'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.7'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-23A

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-10