

FCBR\_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/01/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 02.3" W 90° 01' 59.3" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH							
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT						
				STRATUM DESCRIPTION														
				<b>ASPHALT</b> , 4-inches	0.3													
				<b>FILL: BASE COURSE</b> , 9-inches - Shells, brick fragments, and concrete	1.1													
1				<b>FAT CLAY (CH)</b> , stiff, gray - with shells, red sand pockets, and gravel at 1.1'														
2				- with organics below 2.5'														
3				- soft to firm below 3.2'			49	95	27	68								
4																		
5						68		53										
5.3					5.3													
6																		
7																		
8																		
9																		

**NOTES:**

- Terms and symbols defined on Plates A-11a and A-11b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: January 24, 2013  
 TOTAL DEPTH: 5.3'  
 CAVED DEPTH: Not Applicable  
 DRY AUGER: 0' to 5.3'  
 WET ROTARY: Not Applicable  
 BACKFILL: Sand/Cold Patch Asphalt  
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

**LOG OF BORING NO. B-69**

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-5