

FCBR\_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/01/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 04.7" W 90° 02' 11.2" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
				STRATUM DESCRIPTION															
				<b>ASPHALT</b> , 3-inches	0.3														
				<b>FILL: BASE COURSE</b> , 11-inches - Shells, gravel, and concrete															
1				<b>FAT CLAY (CH)</b> , firm, gray, with silt pockets	1.2														
2				- with ferrous nodules at 2.6'															
3																			
4				- with organics below 4.0'															
5																			
5.4					5.4														
6																			
7																			
8																			
9																			

**NOTES:**

- Terms and symbols defined on Plates A-11a and A-11b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: January 24, 2013  
 TOTAL DEPTH: 5.4'  
 CAVED DEPTH: Not Applicable  
 DRY AUGER: 0' to 5.4'  
 WET ROTARY: Not Applicable  
 BACKFILL: Sand/Cold Patch Asphalt  
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

**LOG OF BORING NO. B-70A**

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-8