

FGBR_LOG (INPUT IN INCHES) 04.57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/03/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 00.6" W 90° 01' 59" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
				STRATUM DESCRIPTION															
				ASPHALT, 1-inch CONCRETE, 9-inches	0.1														
1				FAT CLAY (CH), soft to firm, gray, with shell fragments and few organics	0.8														
2						78		44											
3																			
4				- with ferrous nodules below 3.67'															
5					5.1			55	100	31	69								
6																			
7																			
8																			
9																			

NOTES:

- Terms and symbols defined on Plates A-5a and A-5b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: January 30, 2013
 TOTAL DEPTH: 5.1'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.1'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-09

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-3