

FCBR\_LOG (INPUT IN INCHES) 04.57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/11/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 57' 57.4" W 90° 01' 56.7" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
				STRATUM DESCRIPTION															
				<b>ASPHALT</b> , 4.5-inches															
				<b>BASE COURSE</b> , 5.5-inches - Sand and shells, brown	0.4														
1				<b>FILL: FAT CLAY (CH)</b> , stiff, dark gray, with organics and brick fragments	0.8														
2				- with ferrous nodules below 2.25'		84	33												
3				- firm below 2.96'			40	75	21	54									
4				<b>FAT CLAY (CH)</b> , gray, with silt pockets and ferrous nodules	3.7														
5						71	50												
6																			
7																			
8																			
9																			

**NOTES:**

- Terms and symbols defined on Plates A-5a and A-5b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: February 7, 2013  
 TOTAL DEPTH: 5.1'  
 CAVED DEPTH: Not Applicable  
 DRY AUGER: 0' to 5.1'  
 WET ROTARY: Not Applicable  
 BACKFILL: Sand/Cold Patch Asphalt  
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

**LOG OF BORING NO. B-22A**

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-6