

FGBR_LOG (INPUT IN INCHES) 04.57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/11/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH						
				COORDINATES: N 29° 58' 13.5" W 90° 02' 18.4"		UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT					
STRATUM DESCRIPTION				SURFACE EL.: Not Available													
				ASPHALT, 6-inches	0.5												
				FILL: BASE COURSE, 10-inches													
1					1.3												
2																	
3				FILL: ASPHALT FRAGMENTS AND CLAY													
4																	
5				- with trash below 5.2'													
6					5.6												
7																	
8																	
9																	

NOTES:

- Terms and symbols defined on Plates A-9a and A-9b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: February 5, 2013
 TOTAL DEPTH: 5.6'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.6'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-14A

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-2