

FCBR_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/01/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 12" W 90° 02' 26" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
				STRATUM DESCRIPTION															
				ASPHALT , 5-inches															
				FILL: BASE COURSE , 13.5-inches - Sand and brick fragments, gray and white	0.4														
1				FILL: Clay , stiff, gray, with some base course material	1.5	76		43											
2				FAT CLAY (CH) , soft, gray, with organics	2.3														
3																			
4						55		69											
5					5.1			85	81	32	49								
6																			
7																			
8																			
9																			

NOTES:

- Terms and symbols defined on Plates A-9a and A-9b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: January 25, 2013
 TOTAL DEPTH: 5.1'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.1'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-59A

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-6