

FCBR_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/01/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 10.7" W 90° 02' 20.1" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH							
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT						
				STRATUM DESCRIPTION														
				ASPHALT , 5-inches														
				FILL: BASE COURSE , 7-inches - Sand, gravel, and shells, gray	0.4													
1				FAT CLAY (CH) , firm, gray, with organics	1.0													
2																		
3				- with ferrous nodules below 2.4'			50	100	29	71								
4						71	49											
5					5.3													
6																		
7																		
8																		
9																		

NOTES:

- Terms and symbols defined on Plates A-9a and A-9b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: January 25, 2013
 TOTAL DEPTH: 5.3'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.3'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-60

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-7