

FCBR_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/01/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 09.1" W 90° 02' 13.4" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
				STRATUM DESCRIPTION															
				ASPHALT , 5.5-inches															
1				FILL: BASE COURSE , 8.5-inches - Sand, shells, and brick fragments, gray	0.5														
2				FILL: Clay, gray, with shells, organics, bricks, and sand pockets	1.2														
3				FAT CLAY (CH) , soft to firm, gray, with organics	2.6	67		51											
4																			
5									96	118	29	89							
5.4					5.4	61		63											

NOTES:

- Terms and symbols defined on Plates A-11a and A-11b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: January 25, 2013
 TOTAL DEPTH: 5.4'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.4'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-62A

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-4