

FCBR_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/01/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 09" W 90° 02' 12.1" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
				STRATUM DESCRIPTION															
				ASPHALT, 4-inches	0.3														
				FILL: BASE COURSE, 8-inches - Sand and shells, gray															
1				FILL: FAT CLAY (CH), firm, gray, with shells and brick fragments	1.0														
2																			
3				- with organics from 3.1' to 4.5'			49	88	28	60									
4						59	64												
5				FAT CLAY (CH), firm, gray	4.5														
5.3					5.3														

NOTES:

- Terms and symbols defined on Plates A-11a and A-11b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: January 25, 2013
 TOTAL DEPTH: 5.3'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.3'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-62

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-3