

FCBR_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/01/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 07.3" W 90° 02' 04.9" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH							
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT						
				STRATUM DESCRIPTION														
				ASPHALT , 7-inches														
				FILL: BASE COURSE , 4-inches - Clay, gravel, and brick fragments, black	0.6													
1				FAT CLAY (CH) , firm to stiff, gray, with gravel	0.9													
				- with organics at 1.6'														
2				- gray and brown, with ferrous nodules at 2.3'														
3							44	80	23	57								
4				- brown, with organics below 3.8'														
5						70	49											
					5.2													

NOTES:

- Terms and symbols defined on Plates A-11a and A-11b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: January 24, 2013
 TOTAL DEPTH: 5.2'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.2'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-64

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-7