

FCBR\_LOG (INPUT IN INCHES) 57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/02/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 04.6" W 90° 01' 57.9" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
				STRATUM DESCRIPTION															
				ASPHALT, 1-inch CONCRETE, 9-inches	0.1														
1				FAT CLAY (CH), firm, gray, with organics	0.8			49	91	27	64								
2						71		48					□ ▼						
3																			
4																			
5																			
5.1					5.1			66					▼ □						
6																			
7																			
8																			
9																			

**NOTES:**

- Terms and symbols defined on Plates A-9a and A-9b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: January 30, 2013  
 TOTAL DEPTH: 5.1'  
 CAVED DEPTH: Not Applicable  
 DRY AUGER: 0' to 5.1'  
 WET ROTARY: Not Applicable  
 BACKFILL: Sand/Cold Patch Asphalt  
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

**LOG OF BORING NO. B-10**

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-1