

FGBR_LOG (INPUT IN INCHES) 04.57124026.GPJ FUGRO DATA TEMPLATE 042610.GDT 07/12/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 58' 02.5" W 90° 02' 01" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH							
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT						
				STRATUM DESCRIPTION														
				ASPHALT , 3-inches	0.3													
				FILL: BASE COURSE , 6-inches - Shells														
1				FILL: POORLY GRADED SAND (SP) , gray and greenish gray, with shells and organics	0.8													
2							23											
3				FAT CLAY (CH) , firm, tan, with ferrous nodules	2.6													
4						79		42										
5								39	77	22	55							
5.0					5.0													

NOTES:

- Terms and symbols defined on Plates A-9a and A-9b.
- Water was not encountered during the dry auger drilling interval.

COMPLETION DATE: January 23, 2013
 TOTAL DEPTH: 5.0'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.0'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

St. Claude Paving Only FEMA

LOG OF BORING NO. B-72A

New Orleans, Louisiana

Project No.

04.57124026

PLATE A-6