

# BORING LOG

**BORING NO.:** R3-P22 SIERRA MADRE ST.  
**PROJECT:** READ BLVD. IMPROVEMENTS  
**PROJECT LOCATION:** NEW ORLEANS, LA  
**BORING LOCATION:** SEE BORING LOCATION PLAN  
**BORING ELEVATION:** EXISTING GRADE  
**GEOL/ENGR:** RM  
**METHOD:** AUGER/ROTARY WASH DRILLING

**PROJECT NO.:** B12-084  
**DATE DRILLED:** 01/14/13  
**DATE COMPLETED:** 01/14/13  
**WATER LEVEL:** 8 ft  
**WATER LEVEL DATE:** 01/14/13  
**LOGGED BY:** WW  
**DRILLER:** DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
									5" Concrete
				41		58	38		Gray Fat CLAY with silt and organic pockets (CH)
			0.19	67	62				---very soft, gray, with silt pockets
5				54		65	43		---gray, with silt pockets
				69					---gray, with trace of organics and silt
	X	10 b/ft <sup>4/6/4</sup>		28					Loose, Gray SILTY SAND with trace of clay (SM)
10									Bottom @ 10'
15									
20									

**COMMENTS:**

- SHELBY TUBE
- SPLIT SPOON