

# BORING LOG

**BORING NO.:** R4-P36 SIERRA MADRE ST.  
**PROJECT:** READ BLVD. IMPROVEMENTS  
**PROJECT LOCATION:** NEW ORLEANS, LA  
**BORING LOCATION:** SEE BORING LOCATION PLAN  
**BORING ELEVATION:** EXISTING GRADE  
**GEOL/ENGR:** RM  
**METHOD:** AUGER/ROTARY WASH DRILLING

**PROJECT NO.:** B12-084  
**DATE DRILLED:** 01/16/13  
**DATE COMPLETED:** 01/16/13  
**WATER LEVEL:** NE  
**WATER LEVEL DATE:** 01/16/13  
**LOGGED BY:** WW  
**DRILLER:** DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
									7.5" Concrete
			0.54	33	87				Medium, Gray Fat CLAY with silt pockets and trace of organics (CH)
5				51		67	41		---gray, with silt pockets
				45					
				53		66	40		
10	X	8 b/ft <sup>3/4</sup>		27					Loose, Gray fine SAND with silt (SP-SM)
									Bottom @ 10'
15									
20									

**COMMENTS:** NE : NOT ENCOUNTERED

SHELBY TUBE     
  SPLIT SPOON