


BORING LOG

BORING NO.: R7-P73 GOOD DR.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/24/13
DATE COMPLETED: 01/24/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 01/24/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
0 - 5	SHELBY TUBE		0.55	48	79			5" Concrete	
5 - 8.5				51		97	67	Medium, Gray Fat CLAY with trace organics (CH)	
8.5 - 9.5				84				---gray and tan	
9.5 - 10.5		7 b/ft ^{2/3/4}	(1)	28				Loose, Gray Sandy SILT with clay pockets (ML)	
10.5 - 11.5		10 b/ft ^{4/5/5}		28				Loose, Gray Silty SAND (SM)	
11.5 - 20								Bottom @ 10' (1) 56.1% Passing #200 sieve	

COMMENTS:

 SHELBY TUBE

 SPLIT SPOON