







# BORING LOG

**BORING NO.:** R6-P66 GOOD DR.  
**PROJECT:** READ BLVD. IMPROVEMENTS  
**PROJECT LOCATION:** NEW ORLEANS, LA  
**BORING LOCATION:** SEE BORING LOCATION PLAN  
**BORING ELEVATION:** EXISTING GRADE  
**GEOL/ENGR:** RM  
**METHOD:** AUGER/ROTARY WASH DRILLING

**PROJECT NO.:** B12-084  
**DATE DRILLED:** 01/23/13  
**DATE COMPLETED:** 01/23/13  
**WATER LEVEL:** 9 ft  
**WATER LEVEL DATE:** 01/23/13  
**LOGGED BY:** WW  
**DRILLER:** DT

DEPTH (feet)	SAMPLE	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
								6" Concrete
		0.62	32	85				Medium, Gray Fat CLAY with shells and trace organics (CH)
			35		66	42		---gray and brown
5			30					
			32		39	16		Gray Lean CLAY (CL)
			33					---gray and brown
10								Bottom @ 10'
15								
20								

**COMMENTS:**

 SHELBY TUBE