

FCBR_LOG (FINAL)_04.57144010.GPJ_FUGRO DATA TEMPLATE 042610.GDT 2/9/15

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 55' 49.5" W 90° 06' 12.8" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
				STRATUM DESCRIPTION															
				ASPHALT, 2 1/2-inches	0.2														
				CONCRETE, 8-inches															
1				SHELLS AND CLAY, 1 1/2-inches	0.9														
				FAT CLAY (CH), gray, firm	1.0														
2																			
3																			
4																			
5																			
					5.0														
6																			
7																			
8																			
9																			

NOTES:

- Terms and symbols defined on Plates A-21a and A-21b.
- 4435 Danneel Street

COMPLETION DATE: December 1, 2014
 TOTAL DEPTH: 6'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 2'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold patch asphalt
 LOGGER: Subcontractor to Fugro



Fugro Consultants, Inc.

Recovery Roads Project - Uptown and West
 Riverside

LOG OF BORING NO. C14

New Orleans, Louisiana

Project No.

04.57144010

PLATE A-14