

FCBR_LOG (FINAL)_04.57144010.GPJ FUGRO DATA TEMPLATE 042610.GDT 2/9/15

DEPTH, FT	WATER LEVEL	SYMBOL	SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 55' 04.2" W 90° 07' 18.7" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
							UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
					STRATUM DESCRIPTION															
					ASPHALT, 8 3/8-inches															
1					SAND, SHELLS AND GRAVEL, 6-inches	0.7														
2					LEAN CLAY (CL), brown and gray, stiff to very stiff	1.2														
3								29	35	22	13									
4					SANDY LEAN CLAY (CL), gray, firm	4.0														
5						5.0		28	34	23	11									

NOTES:

- Terms and symbols defined on Plates A-21a and A-21b.
- 330 Alonzo Street

COMPLETION DATE: December 2, 2014
 TOTAL DEPTH: 6'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 2'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/Cold patch asphalt
 LOGGER: Subcontractor to Fugro



Recovery Roads Project - Uptown and West
 Riverside

LOG OF BORING NO. C20

Fugro Consultants, Inc.

New Orleans, Louisiana

Project No.

04.57144010

PLATE A-20