



City of New Orleans
 Tulane-Gravier and Iberville Neighborhoods
 Sewerage and Water Board Repairs
 Orleans Parish, Louisiana
 Project No: 22241

LOG OF BORING AND TEST RESULTS

B-5

EUSTIS ENGINEERING

Date: 10/7/2013

Latitude: 29.95965

Longitude: -90.07092

Water Depth: See Text

Total Depth: 5.0 ft

Scale in Feet	PP	SPT	S P L R	Symbol	Visual Classification	USC	Sample Number	Depth in Feet	Water Content Percent	Density		Shear Tests			Atterberg Limits			Other Tests
										Dry	Wet	Type	ϕ	C	LL	PL	PI	
0					10" Concrete													
					Soft brown & gray silty clay w/shell fragments, gravel, & trace of bricks	CL	1	0.1	20									
					Medium stiff brown & gray clay w/silt pockets, shell fragments, & gravel	CH	2	2	32						63	20	43	
					Medium stiff gray & tan clay w/fine sand pockets & trace of gravel	CH	3	4	42									
5																		
10																		
15																		
20																		
25																		

NOTES:

EUSTIS GINT LIBRARY04102013.GLB EE STANDARD BORING LOG 22241.GPJ EE STANDARD DATATEMPLATE.GDT 11/15/13