



City of New Orleans
 Pavement Investigation
 Dillard Neighborhood
 Orleans Parish, Louisiana
 Project No: 22243

LOG OF BORING AND TEST RESULTS

B-6

EUSTIS ENGINEERING

Date: 08/28/2013

Latitude: 30.00017
 Longitude: -90.07288

Water Depth:
 Total Depth: 5.0 ft

Scale in Feet	PP	SPT	S P L R	Symbol	Visual Classification	USC	Sample Number	Depth in Feet	Water Content Percent	Density		Shear Tests			Atterberg Limits			Other Tests
										Dry	Wet	Type	ϕ	C	LL	PL	PI	
0		25	X	[Symbol]	6" Asphalt		NS	0										
				[Symbol]	Medium dense brown silty sand w/shell fragments & gravel	SM	1	0.5	7									
				[Symbol]	Loose brown fine sand w/silt pockets, trace of shell fragments, & trace of organic matter	SP-SM	2	2										-#200 = 7.7%
				[Symbol]	Loose brown silty sand w/shell fragments	SM	3	4	20									
5																		
10																		
15																		
20																		
25																		

NOTES: No coring required.

EUSTIS GINT LIBRARY\04102013.GLB EE STANDARD BORING LOG 22243.GPJ EE STANDARD DATATEMPLATE.GDT 12/2/13