

# BORING LOG

**BORING NO.:** R15-P167 WINCHESTER PARK DR.  
**PROJECT:** READ BLVD. IMPROVEMENTS  
**PROJECT LOCATION:** NEW ORLEANS, LA  
**BORING LOCATION:** SEE BORING LOCATION PLAN  
**BORING ELEVATION:** EXISTING GRADE  
**GEOL/ENGR:** RM  
**METHOD:** AUGER

**PROJECT NO.:** B12-084  
**DATE DRILLED:** 12/04/13  
**DATE COMPLETED:** 12/04/13  
**WATER LEVEL:** 6 ft  
**WATER LEVEL DATE:** 12/04/13  
**LOGGED BY:** WW  
**DRILLER:** DT

DEPTH (feet)	SAMPLE	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
			8				▒	6" of Concrete
							▒	Gray and Tan Fine SAND with silt (SP-SM)
			27				▒	Tan Silty SAND (SM)
5		0.79 <sup>(1)</sup>	33	92			▒	Medium, Tan Sandy SILT (ML)
▽							▒	Tan Lean CLAY with sand pockets (CL)
			26		27	9	▒	Gray Silty SAND with clay pockets (SM)
10			30				▒	Bottom at 10 Feet
								(1) UU Triaxial Test at 1.6 psi confining pressure
15								
20								

**COMMENTS:**

█ SHELBY TUBE