

# BORING LOG

**BORING NO.:** R15-P174 LOUIS PRIMA DR. EAST  
**PROJECT:** READ BLVD. IMPROVEMENTS  
**PROJECT LOCATION:** NEW ORLEANS, LA  
**BORING LOCATION:** SEE BORING LOCATION PLAN  
**BORING ELEVATION:** EXISTING GRADE  
**GEOL/ENGR:** RM  
**METHOD:** AUGER

**PROJECT NO.:** B12-084  
**DATE DRILLED:** 12/05/13  
**DATE COMPLETED:** 12/05/13  
**WATER LEVEL:** 6 ft  
**WATER LEVEL DATE:** 12/05/13  
**LOGGED BY:** WW  
**DRILLER:** DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
				12					6" of Concrete
									Tan Fine SAND with silt (SP-SM)
			0.69	25	87	36	8		Medium, Gray Clayey SILT with sand pockets (ML)
5				109					Gray Fat CLAY (CH)
			(1)	25		35	10		Gray Fine Silty SAND (SM)
		2b/ft <sup>1/11</sup>		32					-- very loose, with clay pockets
10									Bottom at 10 Feet
									(1) % Passing #200 = 23.5%
15									
20									

**COMMENTS:**

SHELBY TUBE

SPLIT SPOON