

# BORING LOG

**BORING NO.:** R14-P156 SOUTH HARDY ST.  
**PROJECT:** READ BLVD. IMPROVEMENTS  
**PROJECT LOCATION:** NEW ORLEANS, LA  
**BORING LOCATION:** SEE BORING LOCATION PLAN  
**BORING ELEVATION:** EXISTING GRADE  
**GEOL/ENGR:** RM  
**METHOD:** AUGER

**PROJECT NO.:** B12-084  
**DATE DRILLED:** 08/15/13  
**DATE COMPLETED:** 08/15/13  
**WATER LEVEL:** 5 ft  
**WATER LEVEL DATE:** 08/15/13  
**LOGGED BY:** WW  
**DRILLER:** DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
0									6" of Concrete 5" of Sand base
0 - 2		2b/ft <sup>3/1/1</sup>		24					Very Loose, Gray Fine SAND with silt (SP-SM)
2 - 4				36		82	44		Gray and Black Fat CLAY with organics, sand and shells (CH)
4 - 5			0.26	38	79				Soft, Gray and Black Lean CLAY with silt and sand pockets (CL)
5 - 10				36		33	10		Very Loose, Gray Silty SAND with clay pockets (SM)
10 - 10		2b/ft <sup>3/1/1</sup>		37					Bottom at 10 Feet

**COMMENTS:**

SPLIT SPOON     
 SHELBY TUBE